

GET

<https://api.vdab.be/services/openservices/v2.0.0/profielen?studies=800303&gewensteRegios=BE231A>

Headers:

Accept: application/json

X-IBM-Client-Id: *****_****_****_****_*****

Authorization: <Bearer Token>

Resultaat:

```
{
  "aantal": 122,
  "resultaten": [
    {
      "id": "d04d0e09-2748-4244-b1b3-8f26b109c5b0"
    },
    {
      "id": "cd3e428c-088a-4557-b00d-fe5245107b8a"
    },
    {
      "id": "9ebccbee-2e5c-4783-a7e7-d598d24fdcd1"
    },
    {
      "id": "0fa79def-ffd1-4d9f-894e-d2d31461762b"
    },
    {
      "id": "022a4338-9fa6-489a-a72a-e8c0733c8fe9"
    },
    {
      "id": "ae5b5614-9f84-4495-bbb6-ca5cce4d166d"
    },
    {
      "id": "6b931094-3482-4cb5-b499-4765f6dceb4b"
    },
    {
      "id": "eb7af67a-f49a-47c1-8b41-b7c5cfbaed14"
    },
    {

```

```

        "id": "6b88786a-64f5-469f-bcec-9152db828347"
    },
    {
        "id": "c8359cb3-db6e-4643-8c3c-c9bd08d8cc65"
    },
    {
        "id": "e412d392-363e-4b25-9a75-dcb3b5039d70"
    },
    {
        "id": "9e391360-dae9-4fc8-b5b2-17d8f9587b15"
    },
    // Hier zijn items weggelaten voor beknoptheid.
    ...

    {
        "id": "fdafeed0-b71b-460d-a638-57affab45810"
    },
    {
        "id": "219904ce-3b68-4c98-8d56-18dfb3f955a0"
    },
    {
        "id": "c8a9673d-82ba-46dc-a79a-315c10c30a40"
    },
    {
        "id": "4da42173-d4c0-46df-8a28-1478ccf4a95f"
    },
    {
        "id": "f137dd40-a3d3-4d63-920c-d58910e884c3"
    },
    {
        "id": "6138edc3-e516-484f-80a2-33c5bc7c177e"
    },
    {
        "id": "0bb82c3d-967b-4acb-a24c-fa8b18005bb7"
    },
    {
        "id": "fc90ac16-e65f-479a-8f96-0c954231faae"
    },
    {
        "id": "37703a89-3d95-4fca-9196-4f8ef97a604f"
    }
]
}

```

